

PROGRID® Compo GB

Glass Fibre Asphalt Geogrid Composite

DESCRIPTION

ProGrid® Compo GB is a high modulus Glass Fibre Geogrid fully stitch-bonded to a permanent PET lightweight porous Geotextile. The composite has a bituminous coating to provide a good bond with the asphalt layers. ProGrid® Compo GB series can not only increase the tensile strength of the asphalt layer and extend the service life of pavement layers, but also decrease the occurrence rate and severity of reflective cracking under cyclic traffic load. With a high modulus, high temperature resistance and high bonding properties, ProGrid® Compo GB can be used with asphalt overlays in new roads or rehabilitation works as reinforcement or as an asphalt interlayer.

APPLICATION

- Airport runways
- New roads and highways
- Road widening
- Road maintenance and repair
- Composite pavements

TYPICAL PROPERTIES

PROPERTY	TEST METHOD	UNITS	GB 50/50	GB 100/100
Ultimate Tensile Strength (MD/CMD)	ASTM D6637	kN/m	≥ 50/50	≥ 100/100
Elongation at Break (MD/CMD)	ASTM D6637	%	≤ 4/4	≤ 4/4
Tensile Strength at 2% elongation (MD/CMD)	ASTM D6637	kN/m	≥ 40/40	≥ 75/75
Mesh size		mm	40	40
Installation Damage Resistance	EN ISO 10722	%	≥ 90	≥ 90
Melting Point	ASTM D276-00a	°C	800	800
Standard Geotextile Mass*	AS 3706.1	g/m ²	80*	80*
Geotextile Bitumen Retention	ASTM D6140	L/m ²	0.5-0.7	0.5-0.7
Standard Roll Width**		m	3.9**	3.9**
Standard Roll Length**		m	50**	50**

MD=Machine Direction, CMD=Cross Machine Direction

* A range of geotextile mass is available on request to suit specific projects requirements. The standard geotextile mass is 80g/m² to meet "QLD MRTS104: Retarding Pavement Reflective Cracking using Asphalt Geosynthetics" standard specification requirement.

** Other roll dimensions are available to suit project requirements.

ProGrid is a registered trademark of Global Synthetics Pty Ltd.

DISCLAIMER: All information provided in this publication is correct to the best knowledge of the company and is given out in good faith. The information presented herein is intended only as a general guide to the use of such products and no liability is accepted by Global Synthetics Pty Ltd for any loss or damage however arising, which results either directly or indirectly from the use of such information. Global Synthetics Pty Ltd has a policy of continuous development so information and product specifications may change without notice.

DISTRIBUTORS OF :

- Geotextiles**
- Geogrids**
- Dewatering Tubes**
- Subsoil Drainage**
- Wick Drains**
- Erosion Control**
- Gabions & Rock Mattresses**
- Industrial Fabrics**
- Lining Systems**

